

Section 1 – Product Identification and Use

PRODUCT NAME: RESIN		PRODUCT IDENTIFICATION NUMBER.: Not Applicable	
PRODUCT USE:			
MANUFACTURER		SUPPLIER	
Fullerton Finish Systems, Inc. 8645 W. 21 st Street Sand Springs, OK 74063 Phone No: (866) 915-9995		Fullerton Finish Systems, Inc. 8645 W. 21 st Street Sand Springs, OK 74063 Phone No: (866) 915-9995	

Section 2 – Hazardous Ingredients

Hazardous Ingredients	Common Name	CAS #	OSHA PEL	ACGIH TLV
Bisphenol A/ Diglycidyl Ether	Epoxy Resin	25068-38-6	Not Established	Not Established
Allyl Glycidyl Ethers		68609-97-2	Not Established	Not Established
Ground Limestone		1317-65-3	5 mg/m ³ Resp. 15 mg/m ³ Total	2 mg/m ³ Resp.
Crystalline Silica, Quartz		14808-60-7	0.1 mg/m ³ Resp.	0.025 mg/m ³ Resp.

Section 3 – Physical/Chemical Characteristics

Boiling Point: Not Applicable	Specific Gravity (H₂O=1) 1.22
Vapor Pressure (mm Hg.) Not Applicable	Melting Point Not Applicable
Vapor Density (AIR=1) Not Applicable	Evaporation Rate Not Applicable
Solubility in Water: Insoluble	(Butyl Acetate=1):
Appearance: Various colors liquid	Odor: None

Section 4 – Fire and Explosion Data

Flash Point (Method Used): >200°F (>93 °C)	Flammable Limits:	LEL: Not Available	UEL: Not Available
Extinguishing Media: Carbon dioxide, foam, dry chemical, water spray.			
Special Fire Fighting Procedures: Water sprayed into containers of burning liquid may cause frothing which could endanger the fire fighter.			
Fire and Explosion Hazards: Decomposition and combustion products may be toxic.			

Section 5 – Reactivity Data

Stability: Unstable Stable X	Hazardous Polymerization: May Occur Will Not Occur X
Incompatibility (Materials to Avoid): Avoid contact with strong oxidizing agents, strong mineral acids and amines.	
Hazardous Decomposition or Byproducts: Not Applicable	
Conditions to Avoid: Not Applicable	

Section 6 – Health Hazard Data

Route(s) of Entry:	Inhalation? Yes	Skin? Yes	Ingestion? Yes
Health Hazards (Acute and Chronic): Acute - Fumes can irritate upper respiratory system.			
Carcinogenicity:	NTP? No	LARC Monographs? No	OSHA Regulated? No
Signs and Symptoms of Exposure: Rash			
Medical Conditions Generally Aggravated by Exposure: Exposure to fumes while mixing may cause aggravation to sinus allergies and bronchitis.			
Emergency and First Aid Procedures: Should fumes irritate respiratory system, get plenty of fresh air.			

Section 7 – Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled: Liquid may be taken up on sand, clay, earth, floor absorbent or other absorbent material.
Waste Disposal Method: Mix resin and hardener according to the instructions, let material become solid. Dispose according to state regulations or approved land fill.
Precautions to be Taken in Handling and Storing: Keep containers closed.
Other Precautions: None

Section 8 – Control Measures

Respiratory Protection (Specify Type): OSHA approved particle mask.			
Ventilation:	Local Exhaust? Yes	Mechanical (General)? General	Special N/A Other N/A
Protective Gloves: Yes	Eye Protection: OSHA approved goggles		
Other Protective Clothing or Equipment: None			
Work/Hygienic Practices Use standard hygienic practices.			

This information is given without a warranty or representation. We do not assume any legal responsibility for same, nor do we give permission, inducement, or recommendation to practice any patented invention without a license. It is offered solely for your consideration, investigation and verification, before using any product, read it's label.