

**Section 1 – Product Identification and Use**

<b>PRODUCT NAME:</b> Thickening Agent		<b>PRODUCT IDENTIFICATION NUMBER.:</b> Not Applicable
<b>PRODUCT USE:</b>		
<b>MANUFACTURER</b>		<b>SUPPLIER</b>
Georgia Marble Company 2575 Cumberland Parkway Atlanta, GA 30339		Fullerton Finish Systems, Inc. 8645 W. 21 <sup>st</sup> Street Sand Springs, OK 74063  Phone No: (866) 915-9995

**Section 2 – Hazardous Ingredients**

Hazardous Ingredients	Common Name	CAS #	OSHA PEL	ACGIH TLV
Ground Limestone		1317-65-3	5 mg/m <sup>3</sup> Resp. 15 mg/m <sup>3</sup> Total	2 mg/m <sup>3</sup> Resp.
Crystalline Silica, Quartz		14808-60-7	0.1 mg/m <sup>3</sup> Resp.	0.025 mg/m <sup>3</sup> Resp.

**Section 3 – Physical/Chemical Characteristics**

<b>Boiling Point:</b> Not Applicable	<b>Specific Gravity (H<sub>2</sub>O=1)</b> 2.71
<b>Vapor Pressure (mm Hg.)</b> Not Applicable	<b>Melting Point</b> 825°C
<b>Vapor Density (AIR=1)</b> Not Applicable	<b>Evaporation Rate</b> Not Applicable
<b>Solubility in Water:</b> Slight	<b>(Butyl Acetate=1):</b>
<b>Appearance:</b> Fine, white powder	<b>Odor:</b> None

**Section 4 – Fire and Explosion Data**

<b>Flash Point (Method Used):</b> Not Applicable	<b>Flammable Limits:</b> Not Applicable	<b>LEL:</b> Not Applicable	<b>UEL:</b> Not Applicable
<b>Extinguishing Media:</b> Product will not burn			
<b>Special Fire Fighting Procedures:</b> None			
<b>Unusual Fire and Explosion Hazards:</b> None			

## Section 5 – Reactivity Data

<b>Stability:</b> Unstable Stable <b>X</b>	<b>Hazardous Polymerization:</b> May Occur Will Not Occur <b>X</b>
<b>Incompatibility (Materials to Avoid):</b> Will react with acids to produce carbon dioxide gases.	
<b>Hazardous Decomposition or Byproducts:</b> Not Applicable	
<b>Conditions to Avoid:</b> Not Applicable	

## Section 6 – Health Hazard Data

<b>Route(s) of Entry:</b>	Inhalation? Yes	Skin? Yes	Ingestion? Yes
<b>Health Hazards (Acute and Chronic):</b>		Acute	
<b>Carcinogenicity:</b>	NTP? No	LARC Monographs? No	OSHA Regulated? No
<b>Signs and Symptoms of Exposure:</b> Excessive concentrations of nuisance dusts in the work room may cause unpleasant deposits in the eyes, ears and nasal passages.			
<b>Medical Conditions Generally Aggravated by Exposure:</b> Skin contact may aggravate dermatitis. Breathing excessive quantities of ground limestone dust may aggravate pre-existing respiratory conditions.			
<b>Emergency and First Aid Procedures:</b> Exposed skin to be washed with a mild detergent and water.			

## Section 7 – Precautions for Safe Handling and Use

<b>Steps to be Taken in Case Material is Released or Spilled:</b> None – Good housekeeping practices recommended
<b>Waste Disposal Method:</b> Dispose in an approved land fill.
<b>Precautions to be Taken in Handling and Storing:</b> None
<b>Other Precautions:</b> None

## Section 8 – Control Measures

<b>Respiratory Protection (Specify Type):</b> If excessive dustiness –wear NIOSH/MSHA approved respirators			
<b>Ventilation:</b>	Local Exhaust? Preferable	Mechanical (General)? Acceptable	Special None Other None
<b>Protective Gloves:</b> Not required		<b>Eye Protection:</b> Safety glasses or goggles	
<b>Other Protective Clothing or Equipment:</b> None			
<b>Work/Hygienic Practices</b> Use standard hygienic practices.			

This information is given without a warranty or representation. We do not assume any legal responsibility for same, nor do we give permission, inducement, or recommendation to practice any patented invention without a license. It is offered solely for your consideration, investigation and verification, before using any product, read it's label.